



Re: PACDM Integrations List

To all of our customers and partners;

Below is the list of approved PACDM integrations as of July 21st, 2015. Please note that integrations are very version-specific. i3 International cannot guarantee that your specific POS will integrate with PACDM even if the name of your POS system appears in the list.

POS System	Software	Cable	Template	Communication type	Comments
NCR/ACS	ACS V 4.0	NA	V1.00_ACS(NCR).tpl	UDP Protocol	
Radiant/Aloha	Aloha version 5.3.16	BP0426	V1.00_Aloha_Serial.tpl	Serial Port	Multi-channel, Radiant 1510
Bulloch	version 11.2	BP0211	V1.00_Bulloch.tpl	Serial Port	
ClearViewPOS	ClearView 4.02	NA	V1.03_ClerViewPOS_V4.02.tpl	TCPIP	Back Office Server SW for Panasonic series 9300, 790
CLR	ClearPOS Ver. 1.36	NA	V1.00_CLR.tpl	TCP/IP	
CNC POS	version 1.9.111	BP0414	V1.00_CNC.tpl	Serial Port	7 data bit port settings
DataSym 6000RT, 6000 GR	Datasym Ver. 5.5, Ver 3.0	BP0171	V1.00_Datasym.tpl	Serial Port	
Epicor	NA	NA	V1.03_Epicor.tpl	TCP-IP	Uses SQL data base from POS
PACDM Demo	i3DVR	BP0130	V1.00_Demo.tpl	Serial Port	used for PACDM Demo
Focus POS	Focus	NA	V1.00_Focus(TCP).tpl	TCP-IP	Set FOCUS with IP of the DVR, contact Focus to turn on the feed.
Gilbarco G-Site	Version 42.0.64 console 40.0.19	BP0021, BP0022, BP0023	V1.03_G-Site(Gilbarco).tpl	Serial Port	BP0021(G4 wires), BP0022(25 pin cable), BP0023(RJ45). Do not upgrade to Advanced console 40.3.12-B KS000-013PC
Gilbarco Passport	NA	NA	V1.00_G-Passport(PrinterPort).tpl	Serial Port	Contact i3 International for details, Printer port connection.
Gilbarco Passport	Version Bi-pass 306.28	BP0418	V1.02_G-Passport(PoleDisplay).tpl	Serial Port	Pole display connection
GasBoy	NA	BP0118	V1.00_GasBoy(NBS).tpl	Serial Port	Contact i3 International for details, Multi-channel
Casio/ Logivision TCP/IP	LPOS 2.2.3.18	NA	V1.00_Logivision(TCP).tpl	TCP/IP	Text format
Casio/ Logivision French	LBoss 1.6.9.0	BP0040	V1.00_Logivision(French).tpl	Serial Port	French Version
Casio/ Logivision	Logivision	BP0040	V1.00_Logivision.tpl	Serial Port	
Logicaisses	SPS1000 Samsung	NA	V1.00_Logicaisses.tpl	Serial Port	



POS System	Software	Cable	Template	Communication type	Comments
IBM ACE V6	IBM ACE V6	NA	V1.02_IBM_ACE.tpl	TCPIP	Binary format data with POS FTP settings
Micros 9700	Micros Server v3.0	NA	V1.02_Micros9700(TCP)_V3.0.tpl	TCPIP	Multi-channel
Micros 9700	Micros Server v2.80.55	NA	V1.00_Micros9700(TCP)_V2.8.tpl	TCPIP	Multi-channel
Micros 3700	Res 3.2 SP7 or above	NA	V1.00_Micros3700(i3dvr),tpl	TCPIP	POS needs special TCPIP module
Micros E7	NA	BP0162	V1.01_MicrosE7.tpl	Serial	Journal printer port interface
Micros Work Station 4	Micros 3700	BP0161	V1.00_Micros3700.tpl	Serial Port	Shared printer port with Epson TM88
Micros Symphony	Micros Symphony ver. 2.X	NA	V1.00_Symphony.tpl	TCP/IP	"i3Extension.dll" must be enabled on POS by POS provider
Maitre'D	Version service SP6, SP7	NA	V1.00_MaitreD.tpl	TCP/IP	Text format
MSI	Software Dos Lantastic Ver 78.NN.01	BP0181	V1.00_MSI(No_Start).tpl	Serial Port	No_Start data format
MSI	Software Dos Lantastic	BP0181	V1.00_MSI(C_Start).tpl	Serial Port	C_Start data format
NCR7402	NA	BP0154	V1.00_NCR7402.tpl	Serial Port	Contact i3 International for details
NCR7448	NA	BP0154	V1.00_NCR7448.tpl	Serial Port	Contact i3 International for details
NCR7453	NA	BP0152	V1.00_NCR7453.tpl	Serial Port	multi-channel. Store application is set by 7-eleven Help Desk.
NCR7456	NA	BP0152	V1.00_NCR7456.tpl	Serial Port	multi-channel. Store application is set by 7-eleven Help Desk
NCR7458	NA	BP0152	V1.00_NCR7458.tpl	Serial Port	multi-channel. Store application is set by 7-eleven Help Desk
NCR	Documentor	NA	V1.00_NCRDocumentor(TCP).tpl	TCPIP	Contact i3 International for details, multi-channel.
NCR	ScanMaster DOS	BP0151	V1.00_NCRScanMaster(DOS).tpl	Serial Port	Contact i3 International for details, DOS format
NCR	ScanMaster	BP0151	V1.00_NCRScanMaster.tpl	Serial Port	Contact i3 International for details
Panasonic 5000	Ver. 2.1 or 2.5	BP0064	V1.00_Panasonic5000.tpl	Serial Port	
Panasonic 5500	Q 2.5	BP0061, BP0061B	V1.00_Panasonic5500_7500.tpl	Serial Port	"B" cable for Printer option connection
Panasonic 7500	QS4	BP0062, BP0062B, BP7500S	V1.00_Panasonic5500_7500.tpl	Serial Port	"B" cable for Printer option connection. BP7500S for Emulator option.

i3 INTERNATIONAL TECHNICAL BULLETIN Technical Bulletin # 150721-SW-01

POS System	Software	Cable	Template	Communication type	Comments
Panasonic 7750	QS1.5	BP0063, BP0063E, BP7750S	V1.00_Panasonic7750.tpl	Serial Port	E cable for Straight connection. BP7750S for Emulator option.
PennyLane	PennyLane Ver 4.4	BP0114	V1.00_PennyLane.tpl	Serial Port	
PennyLane TCP/IP	PennyLane	NA	V1.01_PennyLaneTCP.tpl	TCPIP	Contact i3 International for details
Pinnacle	NA	BP0110	V1.00_Pinnacle.tpl	Serial Port	Contact i3 International for details
NCR/Pinnacle	Pinnacle Palm POS V8.3 SP6 Build 75	BP0110	V1.00_PinnacleV8.3.tpl	Serial Port	
Radiant	Radiant M100 version 3.50.3007P05, version 3.50.3007P06	BP0012	V1.00_Radiant_M100.tpl	Serial Port	Multi-channel
Radiant	Radiant R-POS Software version 70.001.0109	BP0424	V1.00_Radiant(Printer).tpl	Serial Port	Multi-channel.
Radiant	Radiant Citgo3441100	BP0012	V1.00_Radiant_Citgo3441100.tpl	Serial Port	
Radiant P-1550	HESS New	BPBDB9- RJ12-2	V1.00_Radiant(HESS).tpl	Serial Port	for HESS, baud rate 115200
Radiant	HESS	BPBDB9- RJ12-2	V1.00_RadiantT160(Poledisplay).tpl	Serial Port	for HESS
RubiVerifone/ Rubi Sapphire	NA	BP0120, BP0122, BP0123, BP0124, BP0125	V1.01_RubyVerifone.tpl	Serial Port	Contact i3 International for details, cable BP0124 is used for Thermo Printer option, BP0125 is for virtual printer port
SamSung	ER650/SPS-1000	BP0410	V1.00_SamSungER650.tpl	Serial Port	Contact i3 International for details
Sams4S	Samsung SPS500	BP0410	V1.02_Sam4s_SPS500.tpl	Serial Port	Printer Port Serial (COM) integration
Sharp 3000	NA	BP0083	V1.00_Sharp3000.tpl	Serial Port	multi-channel
Sharp 600	NA	BP0082	V1.00_Sharp600.tpl	Serial Port,	multi-channel
Sharp 700	NA	BP008	V1.03_Sharp700.tpl	Serial Port,	multi-channel
Sharp 770	NA	BP0082	V1.00_Sharp770.tpl	Serial Port	
Sharp 800 series	NA	NA	V1.03_Sharp700.tpl	Serial Port	multi-channel
Sharp 3500 series	NA	NA	V1.03_Sharp700.tpl	Serial Port	multi-channel
StoreNext	Retalix	BP0428, BP0115	V1.00_StoreNext.tpl	Serial Port	Contact i3 International for details, BP0428 Printer port connection,
Synercom	NA	BP0221	V1.00_Synercom.tpl	Serial Port	
TVS 1066	NA	BP0101	V1.00_TV1066.tpl	Serial Port	



POS System	Software	Cable	Template	Communication type	Comments
TVS 2110	NA	BP0105	V1.00_TV2110.tpl	Serial Port	Multi-channel
Uniwell 870-890		BP0420	V1.00_Uniwell1870.tpl	Serial Port	Contact i3 International for details
Topaz/ Sapphire	Verifone	Null Modem	V1.00_VerifoneTopaz.tpl	Serial Port	Multi-channel. RJ45 to Null Modem DB9 converter
Uniwell SX 7505/8505-06	Eprom Version 1.10b	BP0421	V1.00_Uniwell7505.tpl	Serial Port	Multi-channel, Integration for UK customer. Contact i3 International for details
WayneNucleus	Chevron Ver.1.26	BP0312	V1.01_WayneNucleus.tpl	Serial Port	Multi-channel. Port can be programmed from Nucleus to Edgeport
WayneNucleus OS/2	NA	BP0311A	V1.00_WayneNucleusOS2.tpl	Serial Port	Contact i3 International for details, multi-channel, uses printer port,
Zonal	Aztec V.2.8.2.4	B-LDAD06	V1.00_Zonal-Aztec2.8.2.4.tpl	Serial Port	Contact POS provider for details, Please check original cable from Zonal
Gilbarco G-Site		BP0021, BP0022, BP0023	V1.00_G-Site(GilbarcoFrench).tpl	Serial Port	French version, Contact i3 International for details
ScanMaster/ Retalix	ScanMasterV2.5.2	NA	V1.00_ScanMasterV2.5.2(TCPIP).tpl	TCPIP	Contact i3 International for details, POS Server shared folder.
Toshiba TEC	Toshiba TEC MA-1595-1	BP8500S	V1.00_TEC_MA-1595-1.tpl	Serial	Cable kit includes hand shake device
Infonet	C_StoreCommander V7	NA	V1.00_C-StoreCommander.tpl	Serial	new, Pole display port, standard serial cable
XML Integrations					
Volante	Volante	NA	V1.02_Volante(XML).xsl	TCPIP	Contact POS provider for details
PosiTouch	PosiTouch	NA	V1.00_POSITouch(XML).xsl	TCPIP	Contact i3 International for details
IBMSurePOS 500	Retalix BP	NA	V1.00_IBMSurePOS500(XML).xsl	UDP	Contact i3 International for details
HDS	NA	NA	V1.00_HDS(XML).xsl	TCPIP	Contact i3 International for details
ISS45	Retalix ISS45 V.7	NA	V1.00_ISS45(XML).xsl	TCPIP	Contact POS provider for details
ISS45	Retalix ISS45 V.8	NA	V1.00_ISS45(XML).xsl	TCPIP	Contact POS provider for details
G-Passport	Mobil 5.00.28.02G or higher	NA	V1.04_G-Passport(XML).xsl	TCPIP	Contact POS provider for details



POS System	Software	Cable	Template	Communication type	Comments
G-Passport	Mobil 5.00.28.02G or higher	NA	V1.04_G-Passport(XML).xsl	Serial	Null Modem cable to Edgeport
RetailProDimensions	SW version 8 series plug-in	NA	V1.00_RetaolPro(XML).xsl	TCP-IP	Contact POS provider for details
Xpient	Xpient Event Adapter V 1.2, V3.031	NA	V3.03_Xpient(XML).xsl	TCP-IP	Contact POS provider for details
Booklog	Booklog Receipts	NA	V1.00_BooklogReceipts(XML)	TCP-IP	Contact POS provider for details
Store Dynamics	Version 2.8.9	NA	V1.00_StoreDynamic(XML)	TCP-IP	NCR RealPOS 25
Command Set Integrations					
SMS/LOC POS	SMS	NA	NA	TCPIP	Contact POS provider for details
XBR POS	DataVantage	NA	NA	TCPIP	Contact POS provider for details
Retail Expect	NA	NA	NA	TCPIP	Contact POS provider for details

Please consult with your Regional Sale Manager for more information.
Thank you very much for your attention and cooperation.

Please contact technical support if you have any questions or issues.
Email: support@i3international.com
Tel.: 1.877.877.7241
Live Chat: <http://i3chat.i3international.com/chat>

i3 International Inc.
Technical Support and Services